



This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS				
REV	DESCRIPTION	DATE	INITIAL	APPROVED
1	CHANGED M8x0.8 FITTING END TO A #4 AN FLARED UNION FITTING; PER ERA.	12-3-08	WP	-
2	REMOVED P/N -7 FROM BOM, ADDED ENGRAVE S/N, "MADE IN USA" TO PART -1.	4/24/09	RJC	RW




UNDER REVIEW

URF 17-719 VM



ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS
			-1	1	ADAPTER	301 S.S.	Ø 1-3/4 x 1-1/2
		B/O	-3	1	RUBBER WASHER	NEOPRENE RUBBER	Ø1-1/16 O.D. x Ø1/2 I.D. x .125 MCMMASTER-CARR #90133A425
		B/O	-5	1	CAP		AN #4 FLAIREÐ MACMASTER-CARR #5482K75
	ASSY #						

 RED BARN MACHINE			
TITLE TORQUE TRANSDUCER ADAPTER			
DWG NO. RBE3009-00			REV 2
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1 FRACTIONS ± 1/32 ANGLES ± 5°		DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC	
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING		USED ON MODEL AS 350	
SCALE NTS	DATE 11-04-08	SHEET 1 of 1	

This drawing, specifications, and concepts contained here in are the sole property of Red Barn Machine, and may not be reproduced or used in any fashion without the prior written permission of Red Barn Machine.

REVISIONS			
REV	DESCRIPTION	DATE	INITIAL
-	--	-	-

Superceded

UNDER REVIEW

URF 17-719 VM

ASSY QTY	ASSY QTY	B/O	PART #	UNIT QTY	DESCRIPTION	MATERIAL	B/O INFORMATION OR SPECIFICATIONS
			-1	1		6061 ALUMINUM	Ø 1 1/2 x 1 9/16
			-2	1		STAINLESS STEEL	Ø 1 7/8 x 1 1/2
		B/O	2227K81	1	FLARED TUBE FITTING	ALUMINUM	7/16-20 UNJ
		B/O	5456K8	1	RUBBER WASHER	RUBBER	Ø 1 x Ø .625 x .125
		B/O	2418T118	1	O-RING	BUNA -N	Ø 1/2 x Ø 3/8 x 1/16
		B/O	4991T94	1	VALVE CAP	STEAINLESS STEEL	M8 x 0.8
	ASSY #	B/O		1	THREATED PLUG	POLYETHYLENE	M27 x 1.5

RED BARN MACHINE	
TITLE TORQUE TRANSDUCER ADAPTER	
DWG NO. 3009-00	REV
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON: DECIMALS .XXX ± .005 .XX ± .01 .X ± .1	DRAWN BY: PERRITT APPROVED HEAT TREAT FINISH SPEC
UNLESS OTHERWISE SPECIFIED 1. BREAK ALL SHARP EDGES .015 x 45° PR .015 R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING	USED ON MODEL FLORIDA AERONAUTICS
SCALE NTS	DATE 11-04-08
SHEET 1 of 1	

